

## User's information

### Safety gloves against mechanical risks


<b>Manufacturer</b>	UVEX SAFETY Gloves GmbH & Co. KG Elso-Klöver-Str. 6, 21337 Lüneburg Postfach 24 47 · 21314 Lüneburg Germany	<b>Tel.:</b>	+49 4131 9502-0
		<b>Fax:</b>	+49 4131 84338
		<b>Email:</b>	gloves@uvex.de
		<b>Website:</b>	uvex-safety.de
<b>Type</b>	uvex profi ergo - <b>ENB20A</b>		
<b>Model</b>	60147	<b>Coating material</b>	Special NBR (nitrile butadiene rubber)
<b>Basic glove material</b>	cotton interlock		
<b>Available sizes</b>	6, 7, 8, 9, 10, 11	<b>Smallest packing unit</b>	100 Pairs

### Pictogram and performance levels

EN 388 : 2003



2 1 2 1 Performance levels



**Pictogram and performance levels according to EN 388:2003 (highest performance level: 4/cut resistance: 5)**

All levels only apply to the coated areas of the glove.

The overall classification of gloves with two or more unconnected layers does not necessarily denote the performance level of the outer layer.

<b>Cleaning</b>	No cleaning or care recommended
<b>Storage</b>	Store in a dark, dry place.
<b>Handling</b>	New and used gloves should be thoroughly checked. Particularly after cleaning, ensure that they are not damaged (e.g. incisions, holes).

We are not aware of any substances in this product that could cause an allergic reaction.

**Warning** Gloves should not be worn where there is a risk of being caught in moving machinery parts.