

## User's information

### Safety gloves against mechanical risks

**Manufacturer** UVEX SAFETY Gloves GmbH & Co. KG  
Elso-Klöver-Str. 6, 21337 Lüneburg  
Postfach 24 47 · 21314 Lüneburg  
Germany

**Tel.:** +49 4131 9502-0  
**Fax:** +49 4131 84338  
**Email:** gloves@uvex.de  
**Website:** uvex-safety.de

**Type** uvex C500 PURE

**Model** 60503

**Basic glove material** bamboo-rayon/Dyneema®/glass/  
polyamide

**Available sizes** 7, 8, 9, 10, 11

**Coating material**

Aqua-polymer foam  
coating

**Smallest packing unit**

100 Pairs


### Pictogram and performance levels

EN 388 : 2003



4 5 4 2

Performance levels



Puncture resistance

Tear resistance

Cut resistance

Abrasion resistance

**Pictogram and performance levels according to EN 388:2003 (highest performance level: 4/cut resistance: 5)**

All levels only apply to the coated areas of the glove.

The overall classification of gloves with two or more unconnected layers does not necessarily denote the performance level of the outer layer.

**Cleaning** No cleaning or care recommended

**Storage** Store in a dark, dry place.

**Handling** New and used gloves should be thoroughly checked to ensure that they are not damaged (e.g. incisions, holes).

We are not aware of any substances in this product that could cause an allergic reaction.

**Warning** Gloves should not be worn where there is a risk of being caught in moving machinery parts.