

OXXA[®]
ESSENTIAL



COMFORT



FLAME
RETARDANT



DURABLE

MIRIAM 0061



CHARACTERISTICS

- Quality: cowhide split leather (1.2-1.25 mm)
- This apron is made from premium-quality flame-retardant and heat-resistant cowhide split leather
- Kevlar[®] thread stitching
- Adjustable cowhide split leather strap with plastic clasp on the back
- Dimensions: 60 x 40 cm
- This apron is free of Chromium VI

Article number: **2.70.061.00**

SUITABLE FOR ACTIVITIES IN E.G.

- Shipbuilding
- Offshore
- Metal industry
- Construction
- Maintenance
- Industry

COLOUR

Brown

SIZES

One size

PACKAGING

- 1 unit per polybag
- 50 items in outer box

EN ISO 11611:2015



A1 Class 2




EN ISO 13688:2013

PRODUCT INFORMATION

SIZE	ARTICLE NO.	EAN CODE 1 ITEM (POLYBAG)	EAN CODE 50 ITEMS (OUTER BOX)
One size	2.70.061.00	8718249068706	8718249068713

WASHING INSTRUCTIONS (DO NOT WASH)



CLARIFICATION OF PICTOGRAMS

Protective clothing against heat and flames

The EN ISO 11611:2015 standard specifies the requirements for welders' clothing. This concerns clothing that can be worn for a full day (eight hours) at normal temperatures and offers protection against small splashes of molten metal, accidental flame contact, UV radiation and accidental momentary contact with electricity. The standard does not deal with protective clothing that is worn during special welding activities.

EN ISO 11611:2015

Class 1 (lowest level): less hazardous welding situations

Class 2 (higher level): more hazardous welding situations (see table for the correct class)

A1: outer material tested for limited flame spread in accordance with EN ISO 15025:2016 procedure A

A2: outer material tested for limited flame spread in accordance with EN ISO 15025:2016 procedure B



A1 Class 2

Type welding clothes	With regard to the process	With regard to environmental conditions
Class 1	Manual welding techniques with slight formation of splashes and drops, e.g.: MIG welding, TIG welding, micro plasma welding, soldering, spot welding, gas welding, MMA welding (with rutile electrode)	Operation of machines, e.g.: Welding tables, oxy-fuel cutters, plasma cutting machines, machines for thermal spraying
Class 2	Manual welding techniques with larger amounts of splashing and droplets, e.g. plasma cutting, thermal spraying, MM welding, MIG/MAG welding, arc welding	Operation of machines, e.g.: welding/cutting above head level, in enclosed spaces

STORAGE CONDITIONS

The apron is not designed to be washed or cleaned in any way.

TESTING INSTITUTE

The apron has been certified by: Intertek Italia SpA (Notified Body no: 2575), Via Guido Miglioli, 2/A, 20063 Cernusco sul Naviglio MI, Italy.

DECLARATION OF CONFORMITY

For a copy of the declaration of conformity we refer you to the following link:
www.oxxa-safety.com/doc

RELATED PRODUCTS



MARTY 0101

Art. no. 2.70.101.00



MARY 0141

Art. no. 2.70.141.00

YOUR SUPPLIER: