



Fordel

- •Traditionelle toiletruller i høj kvalitet
- •Ekstra blød og absorberende
- •Visuelt tiltalende











Produktspecifikation

Artikel	System	Rullelæng de	Rullebredd e	Rullediam eter	Antal ark	Arklængde	Indvendig kernediam eter	Lag	Tryk	Prægning	Farve
110317	T4 - Traditionel t toiletsyste m	34.72 m	9.9 cm	12 cm	248	14 cm	3.8 cm	3	Nej	Ja	Hvid



Forsendelsesdata

Forbrugerenhed

EAN	7322540011401
Stk.	6
Materiale	Plastic
Højde	198 mm
Bredde	120 mm
Længde	355 mm
Volumen	8.4 dm3
Nettovægt	1009 g
Bruttovægt	1053 g

Palle

EAN	7322540267112
Stk.	1134
Forbrugerenhede r	189
Højde	1932 mm
Bredde	800 mm
Længde	1200 mm
Volumen	1.6 m3
Nettovægt	190.61 kg
Bruttovægt	200.04 kg

Transportenhed

EAN	7322540011517
Stk.	42
Forbrugerenhede r	7
Materiale	Plastic
Højde	198 mm
Bredde	355 mm
Længde	840 mm
Volumen	59.0 dm3
Nettovægt	7.06 kg
Bruttovægt	7.41 kg



Miljø

Content

Mixed fibres

Chemicals

Material

Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Dry strength agent

If coloured = Dye

Fixing agents

If white Fluorescent whitening agent

If needed Glue

Softeners

The process chemicals are:

Antipitch



Protection agent
Yankee coating
Defoamer
Dispersing agents and surfactants
pH and charge control
Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel

This product is approved for EU Ecolabel

Date of issue 2012-07-02 Revision date 2012-07-20

SCA Hygiene Products AB, Bäckstensgatan, 405 03 Göteborg

Production

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.