

## SAFETY DATA SHEET

# Cremesæbe Natur u/farve u/parfume

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

##### Trade name

Cremesæbe Natur u/farve u/parfume

##### Product no.

55

##### Unique formula identifier (UFI)

4YHG-KNWD-5NAJ-4JXP

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses of the substance or mixture

Mild, liquid cream soap

##### Uses advised against

No special

#### 1.3. Details of the supplier of the safety data sheet

##### Company and address

###### **Bunzl A/S**

Greve Main 30

2670 Greve

Denmark

7740 3300

##### Contact person

Nazanin Beizaei

##### E-mail

nb@iduna.dk

##### Revision

28/03/2022

##### SDS Version

1.0

#### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

#### 2.2. Label elements

##### Hazard pictogram(s)

Not applicable

##### Signal word

Not applicable

##### Hazard statement(s)

Not applicable

##### Safety statement(s)

General

-

##### Prevention

-

## Response

-

## Storage

-

## Disposal

-

## Hazardous substances

No special

## 2.3. Other hazards

### Additional labelling

5.50 % of the mixture consists of ingredients of unknown toxicity.

### Additional warnings

Cosmetic products are exempt classification rules, but must comply with the cosmetics legislation.

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Alcohols, ethoxylated, sulfates, sodium salt	CAS No.: 68891-38-3 EC No.: 500-234-8 REACH: 01-2119488639-16-XXXX Index No.:	5-10%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
Amides, C8-18, and, C18-unsatd, N, N-bis, hydroxyethyl	CAS No.: 68155-07-7 EC No.: 268-935-9 REACH: 01-2119490100-53 Index No.:	5-10%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	
amide, cocos, N, N-bis (hydroxyethyl)	CAS No.: 68603-42-9 EC No.: 271-657-0 REACH: 01-2119490100-53 Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
2-phenoxyethanol	CAS No.: 122-99-6 EC No.: 204-589-7 REACH: 01-2119488943-21-0000 Index No.: 603-098-00-9	<1%	Acute Tox. 4, H302 Eye Irrit. 2, H319	

-----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

No special

### Labelling of contents according to Regulation 1223/2009 on cosmetic products "Ingredients"

PHENOXYETHANOL (PRESERVATIVES)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) and continue until irritation stops.

#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### Burns

Not applicable

### 4.2. Most important symptoms and effects, both acute and delayed

No special

### 4.3. Indication of any immediate medical attention and special treatment needed

No special

#### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Not applicable

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds.

Some metal oxides.

### 5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

### 6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

No special conditions required.

##### Recommended storage material

Always store in containers of the same material as the original container.

##### Storage temperature

> 0°C

##### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### DNEL

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
DNEL	2750 mg/kg
Route of exposure	Dermal
Duration	Long term – Systemic effects - Workers

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
DNEL	4,16 mg/kg
Route of exposure	Dermal
Duration	Long term – Systemic effects - Workers

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
DNEL	73,4 mg/m3
Route of exposure	Inhalation
Duration	Long term – Systemic effects - Workers

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
DNEL	0,09 mg/m2
Route of exposure	Dermal
Duration	Long term – Local effects - Workers

Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
DNEL	4,16 mg/kg
Route of exposure	Dermal
Duration	Long term – Systemic effects - Workers

Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
-------------------	---------------------------------------

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

DNEL	73,4 mg/kg
Route of exposure	Inhalation
Duration	Long term – Systemic effects - Workers

Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
DNEL	0,09 mg/m3
Route of exposure	Inhalation
Duration	Long term – Local effects - Workers

## PNEC

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
PNEC	0,24 mg/l
Route of exposure	Water
Duration of Exposure	

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
PNEC	0,024 mg/l
Route of exposure	Marine water sediment
Duration of Exposure	

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
PNEC	5,45 mg/kg
Route of exposure	Freshwater sediment
Duration of Exposure	

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
PNEC	0,0195 mg/l
Route of exposure	Marine water
Duration of Exposure	

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
PNEC	0,0118 mg/kg
Route of exposure	Freshwater sediment
Duration of Exposure	

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
PNEC	0,0348 mg/kg
Route of exposure	Soil
Duration of Exposure	

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
PNEC	830 mg/l
Route of exposure	Sewage treatment plant
Duration of Exposure	

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
PNEC	0,024 mg/l
Route of exposure	Intermittent release
Duration of Exposure	

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
PNEC	0,196 mg/l

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Route of exposure	Freshwater
Duration of Exposure	
Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
PNEC	0,0195 mg/l
Route of exposure	Marine water
Duration of Exposure	Continuous
Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
PNEC	0,0118 mg/kg
Route of exposure	Freshwater sediment
Duration of Exposure	
Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
PNEC	0,0348 mg/kg
Route of exposure	Soil
Duration of Exposure	
Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
PNEC	830mg/l
Route of exposure	Sewage treatment plant
Duration of Exposure	
Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
PNEC	0,024 mg/l
Route of exposure	Intermittent release
Duration of Exposure	
Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
PNEC	0,195 mg/l
Route of exposure	Freshwater
Duration of Exposure	

## 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### Exposure scenarios

There are no exposure scenarios implemented for this product.

### Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

### Hygiene measures

Wash hands after use.

### Measures to avoid environmental exposure

No specific requirements

## Individual protection measures, such as personal protective equipment

### Generally

Take off contaminated clothing and wash it before reuse.

Use only CE marked protective equipment.

### Respiratory Equipment

No specific requirements

### Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

#### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
No specific requirements	-	-	-

#### Eye protection

No specific requirements

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

White

#### Odour / Odour threshold

Characteristic

#### pH

6,5 +/-1

#### Density (g/cm<sup>3</sup>)

1.02 (20 °C)

#### Kinematic viscosity

Testing not relevant or not possible due to nature of the product.

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

##### Melting point/Freezing point (°C)

Testing not relevant or not possible due to nature of the product.

##### Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

##### Boiling point (°C)

Testing not relevant or not possible due to nature of the product.

##### Vapour pressure

Testing not relevant or not possible due to nature of the product.

##### Relative vapour density

Testing not relevant or not possible due to nature of the product.

##### Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

#### Data on fire and explosion hazards

##### Flash point (°C)

Testing not relevant or not possible due to nature of the product.

##### Ignition (°C)

Testing not relevant or not possible due to nature of the product.

##### Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

##### Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to nature of the product.

#### Solubility

##### Solubility in water

Soluble

##### n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

#### Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

### 9.2. Other information

#### Other physical and chemical parameters

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

No special

### 10.4. Conditions to avoid

No special

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	4000 mg/kg ·
Other information	

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
Test method	
Species	
Route of exposure	Oral
Test	LC50
Result	>5000 mg/kg ·
Other information	

Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>5000 mg/kg ·
Other information	

Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
Test method	
Species	Rat



Route of exposure	Dermal
Test	LD50
Result	>2000 mg/kg ·
Other information	

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Long term effects

No special

#### Endocrine disrupting properties

No special

#### Other information

amide, cocos, N, N-bis (hydroxyethyl) has been classified by IARC as a group 2B carcinogen.

## SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	
Result	10-100 mg/l ·
Other information	

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	7,1 mg/l ·
Other information	

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	IC50
Result	27,7 mg/l ·
Other information	

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	7,4 mg/l ·
Other information	

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
Test method	
Species	Daphnia
Compartment	
Duration	21 days
Test	NOEC
Result	0,27 mg/l ·
Other information	

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
Test method	
Species	Fish
Compartment	
Duration	No data available.
Test	LC50
Result	1-10 mg/l ·
Other information	

Product/substance	Amides,C8-18,and,C18-unsatd,N,N-bis,hydroxyethyl
Test method	
Species	Invertebrates
Compartment	
Duration	No data available.
Test	NOEC
Result	0,01-0,1 mg/l ·
Other information	

Product/substance	amide, cocos, N, N-bis (hydroxyethyl)
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	1-10 mg/l ·

Other information

## 12.2. Persistence and degradability

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
Biodegradable	Yes
Test method	OECD 301 D
Result	>60 %

## 12.3. Bioaccumulative potential

Product/substance	Alcohols, ethoxylated, sulfates, sodium salt
Test method	
Potential bioaccumulation	No data available
LogPow	0.3000
BCF	No data available
Other information	

## 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

## 12.6. Endocrine disrupting properties

No special

## 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 4 - Irritant (skin irritation and eye damage)

HP 14 - Ecotoxic

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

## EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

## Specific labelling

Not applicable

## Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

# SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

#### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

#### 14.6. Special precautions for user

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Restrictions for application

Restricted to professional users.

##### Demands for specific education

No specific requirements

##### SEVESO - Categories / dangerous substances

Not applicable

##### Additional information

Not applicable

##### Sources

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

CLP Regulation (EC) No 1272/2008, as retained and amended in UK law.

EC-Regulation 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

#### 15.2. Chemical safety assessment

No

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVCB = Complex hydrocarbon substance  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

In accordance with Article 31 of REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required under Article 32 of REACH.

#### The safety data sheet is validated by

NB

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en