

OXXA[®]
PREMIUM



FIT



DURABLE



VISIBILITY

X-MECH

51-630



CHARACTERISTICS

- "Mechanic" glove made of wear-resistant Armor Skin[®]
- Armor Skin[®] is more durable than leather and has a good abrasion resistance
- Double stitched seams in critical places
- The fluorescent orange back improves visibility and is ideal for e.g. road workers
- Flexible, breathable spandex back
- Ergonomically placed foam reinforcements
- The pre-curved fingers follow the natural contours of the hand
- Extremely comfortable glove with an excellent fit
- Velcro[®] closure ensures a flexible and perfect fit
- Combination of rugged design and excellent protection

Article number: 151.630.00

SUITABLE FOR ACTIVITIES IN E.G.

- Automotive
- Construction
- Government services
- Industry
- Transhipment
- Maintenance
- Transport & logistics
- Leisure

COLOUR

Black/fluorescent orange

SIZES

8/M to 11/XXL incl.

PACKAGING

- 1 pair per polybag
- 12 pairs per bundle
- 72 pairs per outer box

EN388:2016



2122X



EN 420:2003+A1:2009

Disclaimer: The user is responsible for the choices they make on the grounds of the information provided by OXXA[®] in this document. This information should therefore not be deemed conclusive when we refer to the suitability of the product for specific applications. OXXA[®] reserves the right to make changes to the products shown on this product sheet. The colours of the products shown on this product sheet may differ slightly in reality. Printing and typesetting errors reserved.

oxxa-safety.com

Copyright © 2021 OXXA Safety Products. All rights reserved - Version 1, 24-02-2021

PRODUCT INFORMATION

SIZE	ARTICLE NO.	EAN CODE 1 PAIR (POLYBAG)	EAN CODE 12 PAIRS (BUNDLE)	EAN CODE 72 PAIRS (OUTER BOX)
8/M	1.51.630.08	8718249031113	8718249031120	8718249031137
9/L	1.51.630.09	8718249031144	8718249031151	8718249031168
10/XL	1.51.630.10	8718249031175	8718249031182	8718249031199
11/XXL	1.51.630.11	8718249031205	8718249031212	8718249031229

CLARIFICATION OF PICTOGRAMS

EN388:2016



2122X

EN388:2016



abcdef

Protection against mechanical hazards

A = Scuff resistance (0-4)

B = Cut resistance (0-5)

C = Tear resistance (0-4)

D = Puncture resistance (0-4)

E = Cut resistance (in accordance with EN ISO 13977 (A to F))

F = Impact resistance (optional) (P = Passed)

Note: X = untested or not applicable

STORAGE CONDITIONS

The gloves should be kept in a clean, cool and dry place and not kept compressed in their original packaging. Do not expose the gloves to direct sunlight. Make sure that the packaging and the gloves are not damaged during shipping.

TESTING INSTITUTE

These gloves have been certified by: Centexbel (Notified Body no. 0493), Technologiepark 70, BE 9052 Ghent, Belgium.

DECLARATION OF CONFORMITY

For a copy of the declaration of conformity, we refer you to the following link: www.oxxa-safety.com/doc

YOUR SUPPLIER:

RELATED PRODUCTS



X-MECH 51-600

Article no. 1.51.600.00



X-MECH-THERMO 51-605

Article no. 1.51.605.00