



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2172/162/02/23/0268 Ext 01/02/23

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : Majestic Safety Products & Services B.V.
P.O.BOX 80,3200 AB SPIJKENISSE
THE NETHERLANDS

Description

PPE Type : *protective glove against mechanical risks, thermal risks, welding risks*
Product reference : WELDER 53-122
Article code : 1.53.122.00
Glove description : Welding glove made of red cow split leather
Available sizes : 10/XL


Pictures :



XXA BASIC

WELDER 53-122

Art.No. 1.53.122.00



10/XL



XXA BASIC

Art.No.: 1.53.122.00

Po.No.:

Production Date:

Majestic Safety Products & Services B.V.

P.O. Box 80, 3200 AB Spijkenisse, The Netherlands

Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

4 1 4 4 X

EN 407:2020

4 1 3 2 4 3

EN 12477:2001 / A1:2005

Type A

This product is a category III (lethal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module C2 (CTC Groupe 0075)

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from February 2023 and the Instruction for Use Version 4, 02-2023.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Séverine AUBERT
CE Expert Team Coordinator

Date of first issue : 21 February 2023
End of validity date : 21 February 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr



www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Majestic Safety Products & Services B.V.

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	WELDER 53-122
Article code	:	1.53.122.00
Technical file index	:	01
Last update	:	February 2023

IDENTIFICATION

Reference of the product :	:	WELDER 53-122
Article code :	:	1.53.122.00
Minor variant of		WELDER LONG 53-122 (1.53.122.20)
Technical file index :	:	01
Last update :	:	February 2023

Manufacturer :

Majestic Safety Products & Services B.V.

P.O.BOX 80,3200 AB SPIJKENISSE

THE NETHERLANDS

tel : +0031(0)181 475000

fax : -

Factory :

Rajda Industries & Exports Pvt. Ltd.

Vill. & P.O.: Naopala, P.S.: Bagnan Howrah: 711303

India

tel: +91 33 2226 1916

fax: -

GLOVE DESCRIPTION

General glove description and intended use:

Welding glove made of red cow split leather

This glove is designed against mechanical risks, thermal risks, welding risks.

Type of coating finish : no coating

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm	SPL-RAJ-03	Red/white	Cow Split leather			1.2-1.3 mm
Back	SPL-RAJ-03	Red/white	Cow Split leather			1.2-1.3 mm
Lining	L-CT-P-WH-RAJ-01	White	Polyester (palm/back)	190/200 gsm		
	L-CT-WHNAT-RAJ-01	Natural/white	100 % Cotton Drill (cuff)	180/190 gsm		
Cuff	SPL-RAJ-03	Red/white	Cow Split leather			1.2-1.3 mm
Accessories	KL-YRN-Y-RAJ-01	yellow	kevlar yarns			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks, thermal risks, welding risks.

It is a category III product, module C2

Notified Body Reference : CTC (0075)
4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 4
Available size range: 10/XL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	4
Puncture resistance	4
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm.

Thermal hazard EN 407 : 2020

If "small splashes of molten metal" and/or "Large quantities of molten metal" claimed the minimal length of the glove shall correspond to the following requirements:

Sizes	5	6	7	8	9	10	11
Minimum length of the glove (mm)	290	300	310	320	330	340	350
Sizes	12	13					
Minimum length of the glove (mm)	360	370					

Mechanical strength	
Tear strength resistance (N)	≥ 10

Protection offered	Performance levels
Limited flame spread	4
Contact heat	1
Convective heat	3
Radiant heat	2
Small splashes of molten metal	4
Large quantities of molten metal	3

Protective gloves for welders EN 12477 : 2001 / A1 : 2005

Sizes	5	6	7	8	9	10	11
Minimum length of the glove (mm)	290	300	310	320	330	340	350
Sizes	12	13					
Minimum length of the glove (mm)	360	370					

		Abrasion resistance	Cut resistance	Tear strength	Perforation resistance	Burning behaviour	Contact heat
Minimum performance required	Type A	2	1	2	2	3	1
	Type B	1	1	1	1	2	1
Performance obtained		4	1	4	4	4	1

		Convective heat: glove + cuff	Resistance to small splashes of molten metal	Dexterity	Electrical vertical resistance
Minimum performance required	Type A	2	3	1	optional
	Type B	–	2	4	optional
Performance obtained		3	4	4	

Type B gloves are recommended when high dexterity is required, as for TIG welding. Type A gloves are recommended for other welding processes.

These gloves are type A

These gloves are not intended for arc welding.


TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	L221020006_1, L221020005_1	CH:TX:1242042795
EN 388	L221020005_1	CH:TX:1242042795 CH:TX:1242042794
EN 407	L221020005_1	CH:TX:1242042795

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : WELDER 53-122

Article Code : 1.53.122.00

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Marking of packaging example :



Method of marking on the glove :

ink printing on the cuff and insert label

Packaging suitable for transport:

12 pairs/pe bag; 60 pairs/carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

According to ISO 9001, random inspect EN 388 for every batch and for EN 407 random test per about 3 months. And yearly C2 control. Supplier guarantee same quality leather for every batch


DNV

**MANAGEMENT SYSTEM
CERTIFICATE**

Certificate no.: 175805-2015-AQ-IND-UKAS Initial certification date: 05 April 2009 Valid: 05 April 2021 – 04 April 2024

This is to certify that the management system of
Rajda Industries & Exports Pvt. Ltd.
Village & P.O.: Naopala, P.S.: Bagnan, District: Howrah - 711 303, West Bengal, India

has been found to conform to the Quality Management System standard:
ISO 9001:2015

This certificate is valid for the following scope:
Manufacture & export of industrial leather gloves

Place and date:
Chennai, 28 March 2021

For the issuing office:
DNV - Business Assurance
ROMA, No. 10, GST Road, Alandur,
Chennai - PIN - 600 016, India


0013





Srivastava Madhulith
Management Representative



Lack of fulfilment of conditions as set out in the Certification Agreement may render this Certificate invalid.
ACCREDITED UNIT: DNV GL Business Assurance UK Limited, 4th Floor, Vero Building, 30 Stamford Street, London, SE1 9LQ, United Kingdom • TEL: +44(0) 202 816 4000.
www.dnvgl.co.uk